

Date of procedure:

inflammation, or cancer.

COLONOSCOPY INSTRUCTIONS - AFTERNOON PROCEDURE SAME DAY PREP with PLENVU

Doctor:

What is a colonoscopy? A colonoscopy is a procedure that enables your doctor to
examine the lining of the colon (large intestine). The instrument used for the procedur
is a flexible tube that is gently passed through the anus into the colon. A tissue biopsy
may be taken or polyps removed. Colonoscopy is the best test to assess for colon polyp

What Bowel Preparation is required? For the procedure to be accurate, the colon must be completely clean. This is achieved by closely following the colonoscopy instructions below. The preparation will cause diarrhea in order to clean the colon. A prescription will be provided for the preparation to be purchased at your local pharmacy.

What do I need to bring? Wear loose fitting clothing and leave jewelry and valuables at home. You will need to provide ID, a health information card, and credit card in the event there is a co-pay for the procedure.

How long is the procedure? On average, the procedure time is between 20-30 minutes. Allow 2-3 hours from your arrival time before you will be ready to go home. It is important to arrive on time to allow for timely check in and pre-procedure admission.

What happens after the procedure? The anesthesia used for sedation during the procedure will make you drowsy for several hours following your exam. A friend or family member must drive you home and be present as we review your post-procedure instructions. This process is required by law. Your procedure may be cancelled if a responsible adult is not available to take you home.

DIET INSTRUCTIONS:

THE DAY BEFORE YOUR COLONOSCOPY

- Follow the WHITE DIET all day (see separate WHITE DIET instructions) pg. 2.
- You may eat from the **WHITE DIET** list of foods with the final meal at **4:00 p.m.**
- Only **CLEAR FLUIDS** are allowed after the **4:00 p.m.** meal until the colonoscopy.



WHITE DIET INSTRUCTIONS - Day Before Colonoscopy

WHITE DIET FOOD ALLOWED

- Milk, white colored yogurt (no added fruit), mayonnaise, cream, sour cream, butter and margarine, oil for cooking
- White bread/toast, rice bubbles cereal, eggs
- White rice, regular pasta, potatoes (peeled and mashed only), rice noodles
- Rice crackers (plain), white flour, sugar
- Chicken breast (no skin), white fish fillet (no skin)
- Cheese: cream cheese/cheddar/ricotta/feta/cottage/mozzarella/parmesan cheese
- White chocolate, vanilla ice cream, lemonade ice-block ('icy-pole'), custard, "milk bottles" (white confectionery)
- CLEAR FLUIDS are allowed: water, soda water, mineral water, ginger ale, sports drinks (not red/purple/blue), lemonade, apple juice (no pulp), black coffee/tea, Jell-O (not red) or clear soup (e.g. clear chicken broth)

Food NOT ALLOWED

- Anything not listed above
- Other white coloured foods such as fruit or vegetables, pears, parsnip, cauliflower, onion, high fiber white bread, tofu, coconut, porridge, banana, mushrooms, semolina, couscous, popcorn

WHITE DIET SAMPLE MENU PLAN

Breakfast: Glass of Milk

Rice bubbles with milk and white sugar

Scrambled eggs and white toast

Morning Tea: Glass of Mineral water

Plain rice crackers with cheese

Lunch: Glass of lemonade

White bread sandwich with sliced chicken breast, cream cheese or

Mayonnaise.

Afternoon Tea: Plain vanilla yoghurt

Vanilla milkshake

Dinner (4pm) White fish fillet with white rice or mashed potato

or Regular pasta with diced chicken breast and parmesan cheese

or Chicken soup (clear chicken broth/stock) with rice noodles and sliced

chicken breast Glass of soda water Vanilla ice cream



BOWEL PREPARATION INSTRUCTIONS

DAY OF COLONOSCOPY	
5:00 a.m.	 Only CLEAR FLUIDS are allowed until your colonoscopy. CLEAR FLUIDS include: water, soda water, mineral water, ginger ale, sports drinks (not red, purple, or blue), lemonade, apple juice (no pulp), black coffee/tea, Jell-O (not red),or clear soup (e.g. clear chicken broth). Drink Dose 1 of PLENVU*: Empty Dose 1 pouch into the disposable container & mix with 16 ounces of water until completely dissolved (may take 2-3 minutes). Drink slowly over 30 minutes. Then, drink an additional 16oz of clear fluids of your choice.
4 hours before the procedure	 Drink Dose 2 of PLENVU*: Empty 1 pouch A and 1 pouch B into the disposable container. Add water to the top line of the container. Mix to dissolve. Drink slowly over 30 minutes. Then, drink an additional 16oz of clear fluids of your choice slowly over 30 minutes. Do not drink anything more 2 hours before your procedure time. You can take regular medication with a sip of water but do NOT take diabetes medication.

* Having difficulty tolerating the PLENVU?

For many patients, the taste and tolerability of the preparation is a challenge. However, it must be consumed. Here are some methods that have been helpful for patients:

- Chill the solution in the refrigerator before consumption, but within 6 hours of mixing.
- Use a straw to bypass the taste buds.
- Use hard candies, i.e. Jolly Ranchers, during drinking to buffer the taste.
- If you feel nauseous, wait 15 min. before resuming.